


ISO529-EG M-KOMBI



ISO529 EGM KOMBI

Il prezzo è importante... e lo sappiamo!
The price is important... and we know it!
Excellent rapport qualité Prix

BALANCE




MASCHI A MACCHINA

MACHINE TAPS - TARAUDS MACHINE

ISO 529

ISO 529

ISO 529



LINE

TOP



Profond. di filettatura - Thread depth - Profond. de filetage

Materiale - Material - Matériau

Tolleranza - Tolerance - Tolérance

Trattamento superficiale - Surface treatment - Revêtement

Al Si > 10%,
Ottone / Brass / Laiton
Bronzo / Bronze / Bronze
truciolo corto / short chip /
coupeaux courts

Numero gruppi materiali
Material's groups number
Nombre de groupes du matériau

3XD

3xD

HSSE

PM3

6HX

6HX

TiCN

TXC

3.1 3.2 3.3 3.4 3.5

1.5 1.6

4.3 4.4 4.5 4.6 5.3

3.1 3.2 3.3 3.4 3.5

8.2 10.1

4.4 5.3 5.4

8.2 8.3 10.1

ISO 529	Ød1 M	P mm	L ₁	L ₂	d ₂ h9	a h12	Z	
◀	3	0,5	48	11	3,15	2,5	3	2,5
◀	4	0,7	53	13	4	3,15	3	3,3
◀	5	0,8	58	16	5	4	3	4,2
◀	6	1	66	19	6,3	5	3	5
◀	6	1	66	19	6,3	5	4	5
	8	1,25	72	22	8	6,3	4	6,8
	10	1,5	80	24	10	8	4	8,5
	12	1,75	89	29	9	7,1	4	10,30
	14	2	95	30	11,2	9	4	12
	16	2	102	32	12,5	10	4	14
	18	2,5	112	37	14	11,20	4	15,5
	20	2,5	112	37	14	11,20	4	17,5

CODICE - CODE

529E26M...CT

*529K26M...TXC

*

*

*

*

o

*

o

-

-

*

o

*

o

*

o

*

o

*

*

-

*

-

Confezione / Box / Colis:
M3 – M10: 10 pezzi / pcs
M312 – M16: 5 pezzi / pcs

€ Pag. listino - Price list - Liste des prix

104

104

• Standard

o Disponibilità da richiedere, prezzo a listino
On enquiry, standard price-list / Stock à vérifier

★ Solo a richiesta
Only on request / Sur demande

EG M



N


USO GENERALE

General purpose - Usage Général






MASCHI A MACCHINA

MACHINE TAPS - TARAUDS MACHINE

DIN 40435



DIN 40435



LINE



LINE



Profond. di filettatura - Thread depth - Profond. de filetage

Materiale - Material - Matériau

Tolleranza - Tolerance - Tolérance

Trattamento superficiale - Surface treatment - Revêtement

1,5xD

1,5xD

HSSE

HSSE

6H mod

6H mod

BR

TiN

1.1 1.2 1.3 1.4 3.4

1.1 1.2 1.3 1.4 3.4

4.2 4.3 5.2 5.3

4.2 4.3 5.2 5.3

8.2

8.2

Numero gruppi materiali

Material's groups number

Nombre de groupes du matériau

DIN 40435	EG M	P mm	Ød1	L ₁	L ₂	d ₂ h9	a h12	Z	
3	0,5	3,65	63	13	4,5	3,4	3	3,15	
4	0,7	4,91	70	13	6	4,9	3	4,20	
5	0,8	6,04	80	16	6	4,9	3	5,25	
6	1	7,3	90	18	8	6,2	3	6,30	
8	1,25	9,624	100	20	10	8	3	8,40	

CODICE - CODE	
E20EGM...	E20EGM...T
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>

DIN 40435	EG M	P mm	Ød1	L ₁	L ₂	d ₂ h9	a h12	Z	
10	1,5	11,948	100	22	9	7	3	10,5	
12	1,75	14,274	110	28	11	9	3	12,5	
14	2	16,598	110	28	12	9	3	14,5	
16	2	18,598	125	33	14	11	4	16,5	
18	2,5	21,248	140	33	18	14,5	4	18,75	
20	2,5	23,248	160	39	18	14,5	4	20,75	

CODICE - CODE	
E21EGM...	E21EGM...T
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
*	*
*	*
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>

Confezione / Box / Colis:
M3 – M10: 10 pezzi / pcs
M12 – M16: 5 pezzi / pcs

€ Pag. listino - Price list - Liste des prix

105

105




• Standard

○ Disponibilità da richiedere, prezzo a listino
On enquiry, standard price-list / Stock à vérifier

★ Solo a richiesta
Only on request / Sur demande

N **USO GENERALE**
 General purpose - Usage Général

MASCHI A MACCHINA
 MACHINE TAPS - TARAUDS MACHINE



Profond. di filettatura - Thread depth - Profond. de filetage
 Materiale - Material - Matériau
 Tolleranza - Tolerance - Tolérance
 Trattamento superficiale - Surface treatment - Revêtement

Numero gruppi materiali
 Material's groups number
 Nombre de groupes du matériau

3xD	3xD
HSSE	HSSE
6H mod	6H mod
BR	XP
1.1 1.2 1.3 1.4	1.1 1.2 1.3 1.4
4.1 4.2	2.1 2.2 3.3 3.4
5.1 5.2	4.2 4.3
	5.2

DIN 40435	EG M	P mm	Ød1	L ₁	L ₂	d ₂ h9	a h12	Z	
3	0,5	3,65	63	13	4,5	3,4	3	3,15	
4	0,7	4,91	70	13	6	4,9	3	4,20	
5	0,8	6,04	80	16	6	4,9	3	5,25	
6	1	7,3	90	18	8	6,2	3	6,30	
8	1,25	9,624	100	20	10	8	3	8,40	

CODICE - CODE	
E24EGM...	E24EGM...XP
<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>

DIN 40435	EG M	P mm	Ød1	L ₁	L ₂	d ₂ h9	a h12	Z	
10	1,5	11,948	100	22	9	7	3	10,5	
12	1,75	14,274	110	28	11	9	3	12,5	
14	2	16,598	110	28	12	9	3	14,5	
16	2	18,598	125	33	14	11	4	16,5	
18	2,5	21,248	140	33	18	14,5	4	18,75	
20	2,5	23,248	160	39	18	14,5	4	20,75	

CODICE - CODE	
E25EGM...	E25EGM...XP
<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>


N

USO GENERALE
 General purpose - Usage Général


MASCHI A MACCHINA

MACHINE TAPS - TARAUDS MACHINE



DIN 40435



DIN 40435



DIN 40435



LINE



R40°

LINE



R40°

Profond. di filettatura - Thread depth - Profond. de filetage

Materiale - Material - Matériau

Tolleranza - Tolerance - Tolérance

Trattamento superficiale - Surface treatment - Revêtement

Numero gruppi materiali
 Material's groups number
 Nombre de groupes du matériau

2,5xD

2,5xD

HSSE

HSSE

6H mod

6H mod

BR

XP

1.1 1.2 1.3 1.4

1.1 1.2 1.3 1.4

4.1 4.2

2.1 2.2 3.3 3.4

5.1 5.2

4.2 4.3

5.2

DIN 40435	EGM	P mm	Ød1	L ₁	L ₂	d ₂ h9	a h12	Z	
◀	3	0,5	3,65	63	7	4,5	3,4	3	3,15
◀	4	0,7	4,91	70	8	6	4,9	3	4,20
◀	5	0,8	6,04	80	10	6	4,9	3	5,25
	6	1	7,3	90	13	8	6,2	3	6,30
	8	1,25	9,624	100	15	10	8	3	8,40

CODICE - CODE	
E60EGM...	E60EGM...XP
<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>

DIN 40435	EGM	P mm	Ød1	L ₁	L ₂	d ₂ h9	a h12	Z	
	10	1,5	11,948	100	13	9	7	3	10,5
	12	1,75	14,274	110	20	11	9	3	12,5
	14	2	16,598	110	20	12	9	3	14,5
	16	2	18,598	125	25	14	11	4	16,5
	18	2,5	21,248	140	25	18	14,5	4	18,75
	20	2,5	23,248	160	30	18	14,5	4	20,75

CODICE - CODE	
E61EGM...	E61EGM...XP
<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>
<input checked="" type="radio"/>	<input checked="" type="radio"/>
<input checked="" type="radio"/>	<input checked="" type="radio"/>
<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>

Confezione / Box / Colis:
 M3 - M10: 10 pezzi / pcs
 M12 - M16: 5 pezzi / pcs

€ Pag. listino - Price list - Liste des prix

106

106

● Standard

○ Disponibilità da richiedere, prezzo a listino
 On enquiry, standard price-list / Stock à vérifier

★ Solo a richiesta
 Only on request / Sur demande

KOMBI



KOMBI

M-MF

Filettatura metrica ISO DIN 13

ISO Metric thread DIN 13

Métrisches ISO-Regelgewinde DIN13 – Maschinen-Kombi-Gewindebohrer

Filetage métrique ISO DIN 13 – Tarauds machine kombi

Rosca ISO métrica DIN13 – Machos de roscar a máquina kombi



N


USO GENERALE

General purpose - Usage Général

MASCHI A MACCHINA KOMBI

KOMBI MACHINE TAPS - TARAUDS MACHINE KOMBI

UFS
norm



LINE



R30°

LINE



R30°

LINE



AL
R30°

LINE



AL
R30°

Profond. di filettatura - Thread depth - Profond. de filetage

Materiale - Material - Matériau

Tolleranza - Tolerance - Tolérance

Trattamento superficiale - Surface treatment - Revêtement

Numero gruppi materiali

Material's groups number

Nombre de groupes du matériau

1,5xD

HSSE

ISO2/6H

BR

1.1 1.2 1.3 1.4

4.3 4.2

5.2 5.3

1,5xD

HSSE

ISO2/6H

VS

1.1 1.2 1.3 1.4

3.3 3.4

4.2 4.3

5.2 5.3

1,5xD

HSSE

ISO2/6H

BR

4.1 4.2

5.1 5.2

8.1

1,5xD

HSSE

ISO2/6H

VS

4.1 4.2

5.1 5.2

8.1

UFS norm	M	P mm	L ₁	L ₂	d ₂ h9	a h12	L _p	d _p	Z
◀	3	0,5	66	10	3,5	2,7	10	2,5	2
◀	4	0,7	69	11	4,5	3,4	11	3,3	2
◀	5	0,8	81,5	11	6	4,9	12	4,2	2
◀	6	1	82,5	13	6	4,9	13	5	2
◀	8	1,25	101	14	6	4,9	18	6,8	4
◀	10	1,5	107	15	7	5,5	24	8,5	4
◀	12	1,75	120	17	9	7	25	10,3	4
◀	3	0,5	66	10	3,5	2,7	10	2,5	2
◀	4	0,7	69	11	4,5	3,4	11	3,3	2
◀	5	0,8	81,5	11	6	4,9	12	4,2	2
◀	6	1	82,5	13	6	4,9	13	5	2
◀	8	1,25	101	14	6	4,9	18	6,8	2
◀	10	1,5	107	15	7	5,5	24	8,5	2
◀	12	1,75	120	17	9	7	25	10,3	2

UFS norm	MF	P mm	L ₁	L ₂	d ₂ h9	a h12	L _p	d _p	Z
◀	8	1	101	14	6	4,9	18	7	4
◀	10	1	107	15	7	5,5	24	9	4
◀	10	1,25	107	15	7	5,5	24	8,8	4
◀	12	1,5	120	17	9	7	25	10,5	4

EPFM...

◊

•

•

•

•

•

•

•

CODICE - CODE

EPFM...VS

◊

◊

◊

◊

◊

◊

◊

◊

◊

◊

◊

◊

◊

◊

EPFALUM...

◊

◊

◊

◊

◊

◊

◊

EPFALUM...VS

◊

◊

◊

◊

◊

◊

◊